

## Forklift Seat Belts

Forklift Seat Belts - This guideline reason is to be able to explain the Regulation requirements for the use of operator seatbelts or restraints on lift trucks. It is the employers' accountability to make certain that every machinery, piece of equipment and device within the workplace is chosen and utilized rightly and operated in accordance with the manufacturer's instructions.

In regards to their use, design, maintenance, inspection and fabrication Rough Terrain forklifts ought to satisfy the guidelines of ANSI Standard ASME B56.6-1992.

Side boom tractors and mobile machine along with a Rollover Protective Structure, or ROPS for short, need to contain seat belts which satisfy the requirements of the Society of Automotive Engineers, or SAE, Standard J386 JUN93, Operator Restraint System for Off-Road Work Machines. If whichever mobile equipment has seat belts required by law, the operator and subsequent passengers need to make certain they use the belts whenever the vehicle is in motion or engaged in operation since this can cause the machine to become unsteady and hence, not safe.

When a seat belt or various driver restraint is needed on a lift truck.

While working a lift truck, the seat belt requirements would depend on some factors. Contributing factors to this determination may include whether or not the lift truck is outfitted along with a Rollover Protective Structure, the type of forklift itself and the year the forklift was actually manufactured. The manufacturer's directions and the requirements of the applicable standard are referenced in the Regulation.

With regards to powered industrial forklifts, ANSI Standard ASME B56.1-1993 refers to a driver restraint device, system, or enclosure. An operator restraint device, system, or enclosure is intended to be able to aid the operator in lessening the chance of entrapment of the head and/or torso between the truck and the ground in the event of a tip over. The restraint device or system may consist of a seat belt, even though a seat belt is not necessarily a part of such machine or system.